

# **AMERICAN BIOTECH LABS**

## **Summary Report – First African Human Studies of American Biotech Lab’s ASAP Solution**

### **The Hospitals**

Fifty-eight patients at three hospitals in Ghana, West Africa were treated with ASAP Solution by their attending physicians. The studies were performed at the Air Force Station Hospital, under the direction of Dr. Kwabiah, the Korie-Bu Teaching Hospital, under the direction of Dr. Sackey and the Justab Clinic/Maternity under the direction of Dr. Abraham.

### **Diversity of Use**

The ASAP Solution was tested on a wide diversity of human ailments including malaria, upper respiratory tract infections, urinary tract infections, sinusitis, vaginal yeast infections, eye, nose and ear infections, cuts and fungal skin infections and sexually transmitted diseases such as gonorrhea. The ASAP Solution was used both internally and externally as an alternative to antibiotics.

### **The Product**

All treatments were performed using the American Biotech Labs ASAP Solution (ASAP) at a strength of 10 parts per million.

### **Summary Data**

The data were summarized by ailment treated, average dose used for treatment, average time before signs of recovery and average time under treatment to obtain full recovery (as deemed by the doctors).

#### **(1) Abdominal Pain and Diarrhea**

Number of patients:	1
Average dosage:	10 ml. (two tsp.) of ASAP three times per day.
Signs of recovery:	Not noted
Full recovery:	1 day

## **(2) Fungal Skin Infection**

Number of patients: 2  
Average dosage: 10 ml. (two tsp.) of ASAP three times per day.  
Signs of recovery: 4.5 days  
Full recovery: 8 days

## **(3) Gonorrhea**

Number of patients: 2  
Average dosage: 10 ml. (two tsp.) of ASAP two times per day.  
Signs of recovery: 3.5 days  
Full recovery: 6 days

## **(4) Malaria**

Number of patients: 11  
Average dosage: 10 ml. (two tsp.) of ASAP three times per day.  
Signs of recovery: 2.4 days  
Full recovery: 5 days

## **(5) Mouth Problems (Halitosis and Gingivitis)**

Number of patients: 2  
Average dosage: Both patients given ASAP as mouthwash.  
Signs of recovery: Not reported  
Full recovery: 3 days (Gingivitis)  
1 day (Halitosis)

## **(6) Pelvic Inflammatory Disease**

Number of patients: 1  
Average dosage: 5 ml. (one tsp) ASAP twice per day as vaginal douche.  
Signs of recovery: 2 days  
Full recovery: 5 days

## **(7) Pharyngitis (Sore Throat)**

Number of patients: 4  
Average dosage: 10 ml. (two tsp) ASAP three times per day, as a gargle.  
Signs of recovery: 3.75 days  
Full recovery: 5.25 days

### **(8) Bronchitis**

Number of patients: 2  
Average dosage: 5 ml. (one tsp) of ASAP twice per day.  
Signs of recovery: 1.5 days  
Full recovery: 3 days

### **(9) Vaginal Yeast Infection (Candida)**

Number of patients: 5  
Average dosage: 10 ml. (two tsp) ASAP twice per day as vaginal douche.  
Signs of recovery: 3 days  
Full recovery: 5.5 days

### **(10) Conjunctivitis (Eye Infection)**

Number of patients: 2  
Average dosage: Drops of ASAP in the infected eye twice per day.  
Signs of recovery: Not noted  
Full recovery: 1 day

### **(11) External Cuts and Infection (Included staph skin infections, septic ulcers and infected abscesses)**

Number of patients: 6  
Average dosage: 5 ml. (one tsp) of ASAP twice per day.  
Signs of recovery: 2.2 days  
Full recovery: 3 days

### **(12) External Otitis (Ear infection)**

Number of patients: 6  
Average dosage: 2 drops of ASAP in the infected ear three times per day.  
Signs of recovery: 1.7 days  
Full recovery: 3.5 days

### **(13) Otitis Media (Middle ear infection)**

Number of patients: 1  
Average dosage: 2 drops ASAP in the infected ear, three times per day.  
Signs of recovery: 2 days  
Full recovery: 4 days

### **(14) Retro Viral Infection, HIV**

Number of patients: 1  
Average dosage: 5 ml. (one tsp) ASAP two times per day.  
Signs of recovery: 4 days  
Full recovery: 5 days

### **(15) Sinusitis/Rhinitis (Nasal infections)**

Number of patients: 6 (Four patients with sinusitis and 2 patients with rhinitis)  
Average dosage: 2 drops ASAP in their nasal passages, three times per day.  
Signs of recovery: 1.6 days  
Full recovery: 3.2 days

### **(16) Tonsillitis**

Number of patients: 1  
Average dosage: 10 ml. (two tsp) three times per day as a gargle.  
Signs of recovery: 2 days  
Full recovery: 7 days

### **(17) Upper Respiratory Tract Infection**

Number of patients: 2  
Average dosage: 5 ml. (one tsp) three times per day  
Signs of recovery: 3 days  
Full recovery: 6 days

### **(18) Urinary Tract Infection**

Number of patients: 3  
Average dosage: 10 ml. (two tsp) two to three times per day.  
Signs of recovery: 3.3 days  
Full recovery: 5.6 days

## **Summary**

The 58 patients who participated in these studies were treated for one or more of the 18 different ailments studied. In every case, the doctors were using the ASAP Solution, in 10 ppm strength, as an antibiotic alternative. The doctors reported that in almost every case, their patients achieved full recovery in seven days or less. At this time, additional testing is under way.